## IN THE CLAIMS:

- 1. (Currently Amended) A method of developing a computer software system, comprising the <u>computer-implemented</u> steps of:
  - defining a first interface between associated with a proposed view sub-system and with a proposed business logic sub-system, wherein the proposed view sub-system and the proposed business logic sub-system interact only via the first interface;
  - defining a second interface between associated with a proposed handler subsystem and with the proposed business logic sub-system, wherein the
    proposed handler sub-system and the proposed business logic sub-system
    interact only via the second interface;
  - wherein the proposed view sub-system, the proposed business logic sub-system, and the proposed handler sub-system are all isolated from each other; creating the proposed view sub-system in accord with the first interface; and creating the proposed handler sub-system in accord with the second interface.
- 2. (Currently Amended) The method according to claim 1, further comprising the steps of:
  - defining a third interface between associated with the proposed view sub-system and with the proposed handler sub-system; and
  - creating the proposed view sub-system in accord with both the first and third interfaces.
- 3. (Currently Amended) The method according to claim 1, further comprising the steps of:
  - defining a fourth interface between associated with the proposed view sub-system and with the proposed handler sub-system; and
  - creating the proposed handler sub-system in accord with both the second and the fourth interfaces.
- 4. (Currently Amended) The method according to claim 1, further comprising the steps of:

Page 2 of 16 Scetharaman et al. - 09/966,200

- defining a third interface between associated with the proposed view sub-system and the proposed handler sub-system;
- defining a fourth interface between associated with the proposed view sub-system and with the proposed handler sub-system;
- creating the proposed view sub-system in accord with both the first and third interfaces; and
- creating the handler sub-system in accord with both the second and the fourth interfaces.
- (Original) The method according to claim 1, wherein:
   the first interface defines a plurality of methods for data storage and retrieval that
   are implemented in the business logic sub-system.
- (Original) The method according to claim 1, wherein:
   the second interface defines a plurality of methods of business logic that are
   implemented in the business logic sub-system.
- 7. (Original) The method according to claim 2, wherein: the third interface is a listener interface that defines a plurality of methods in the handler sub-system which respond to actions in the view sub-system.
- 8. (Original) The method according to claim 3, wherein:
  the fourth interface defines a plurality of methods which are implemented in the
  view sub-system for use by the handler sub-system.
- 9. (Original) The method according to claim 1, wherein: the view sub-system includes a plurality of user interface objects; the handler sub-system includes a plurality of use case control objects; and the business logic sub-system includes a plurality of business logic objects.
- 10. (Original) The method according to claim 1, wherein:
  the sub-systems are created substantially independently of each other once the
  interfaces have been defined.

- 11. (Currently Amended) A computer software system in a computer readable medium, said system comprising:
  - first instructions defining a view sub-system including presentation objects which provide a user interface;
  - second instructions defining a business logic sub-system including use case objects which hold business data and implement business functions;
  - third instruction defining a handler sub-system including controller objects which control actions of the view sub-system and actions of the business logic sub-system;
  - fourth instructions defining a data interface only through which the view subsystem obtains business data for the presentation objects; and
  - fifth instructions defining a business interface only through which the handler sub-system invokes business functions.
- 12. (Currently Amended) The system according to claim 11, further comprising: sixth instructions defining a listener interface through which the handler subsystem responds to events in the user interface.
- [[12]] 13. (Currently Amended) The system according to claim 11, further comprising:
  - sixth instructions defining a view action interface through which the handler subsystem invokes actions in the user interface.
- [[13]] 14. (Currently Amended) A computer program in a computer readable medium, said program comprising:
  - first instructions defining at least one view object including presentation objects which provide a user interface;
  - second instructions defining at least one business logic object holding business data and implementing business functions;
  - third instructions defining at least one handler object which controls actions of at least one of the view objects and actions of at least one of the business logic objects;

- fourth instructions defining a data interface only through which the at least one view object obtains business data for the presentation objects; and fifth instructions defining a business interface only through which the at least one handler object invokes business functions.
- [[14]] 15. (Currently Amended) The computer program according to claim [[13]]

  14, further comprising:

  sixth instructions defining a listener interface through which the handler object responds to events in the user interface.
- [[15]] 16. (Currently Amended) The computer program according to claim [[13]]

  14, further comprising:

  sixth instructions defining a view action interface through which the handler
  object invokes actions in the user interface.
- 17. (New) The computer program system of claim 11 further comprising:
  sixth instructions for further defining the view sub-system, the business logic subsystem, and the handler sub-system such that each sub-system is isolated
  from another sub-system.
- 18. (New) The computer program of claim 14 further comprising:
  sixth instructions for further defining the view sub-system, the business logic subsystem, and the handler sub-system such that each sub-system is isolated
  from another sub-system.